



# MATERIAL SAFETY DATA SHEET

DATE OF ISSUE: 11 SEPT 2018

## SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product Name:** BARE-CO FLANGE GASKET SEALANT

**Part Number(s):** R51 (50ml) & R51L (300ml)

**Use:** Anaerobic sealant.

**Supplier:** R H Bare Pty Ltd ABN 95 000 588 214  
22 Williamson Road Tel 02 9829 7077  
Ingleburn NSW 2565 Email: [bareco@bigpond.com](mailto:bareco@bigpond.com)  
Australia

**Emergency:** Contact a Poisons Information Centre (Australia Phone 13 11 26  
New Zealand Ph: 0800 764 766 USA [www.bare-co.com/msds](http://www.bare-co.com/msds)) or a doctor.

## SECTION 2. HAZARDS IDENTIFICATION

### STATEMENT OF HAZARDOUS NATURE:

Hazardous according to the criteria of Safe Work Australia.

This material has been classified as:

Xi - Irritant

Xn – Harmful

N – Dangerous for the environment

### Risk phrase(s):

R20: Harmful by inhalation

R41: Risk of serious damage to eyes

R36/37/38: Irritating to eyes, respiratory system and skin

R43: May cause sensitisation by skin contact

R52: Harmful to aquatic organisms

### Safety phrase(s):

S23: Do not breathe vapour

S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S28: After contact with skin, wash immediately with plenty of soap suds

S37/39: Wear suitable gloves and eye/face protection

S46: If swallowed, seek medical advice immediately and show this container or label

### DANGEROUS GOODS INFORMATION:

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).

**SUSDP POISON SCHEDULE:** None allocated.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### INGREDIENTS:

CHEMICAL ENTITY	CAS NO.	PROPORTION
Acrylic Acid	[79-10-7]	5%-10% w/w
Cumene Hydroperoxide	[80-15-9]	< 5% w/w
2-Hydroxyethyl Methacrylate	[868-77-9]	< 3% w/w
Cumene	[98-82-8]	< 1% w/w
Other ingredients determined not to be hazardous > 70%		

## MATERIAL SAFETY DATA SHEET

### SECTION 4. FIRST AID MEASURES

- Ingestion:** If swallowed, **do not** induce vomiting. Drink up to two glasses of water. For advice, contact a Poisons Information Centre (Australia Phone 13 11 26 New Zealand Ph: 0800 764 766 USA www.bare-co.com/msds) or a doctor.
- Skin:** Remove contaminated clothing and wash affected areas with plenty of water. If irritation, redness or blistering occurs, seek medical attention.
- Eyes:** Hold eyes open and flush with water for at least 15 minutes. If irritation develops, seek medical attention.
- Inhalation:** If inhaled, remove from contaminated area. For all but the most minor symptoms, arrange for patient to be seen by a doctor.
- Advice to doctor:** Treat symptomatically.
- First Aid facilities:** Eye wash and normal washroom facilities. A safety shower is recommended.

### SECTION 5. FIRE FIGHTING MEASURES

- Suitable extinguishing media:** Use foam, dry chemical or carbon dioxide.
- Hazards from combustion products:** In a fire, it will char. Under fire conditions, it will release carbon monoxide, oxides of sulphur and noxious fumes.
- Precautions for fire fighters and special protective equipment:** If there is a risk of exposure to products of combustion, fire-fighters should wear self-contained breathing apparatus.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Wear protective gloves, chemical goggles and safety boots. Wipe up residue with a cloth. For large spills contain and collect with inert absorbent materials (e.g. sand, earth, vermiculite). Transfer to sealable containers suitable for storing spilled material. Flush areas in contact with spilled material with adequate warm soapy water to render the area safe for human contact. Note: Residues are slightly water soluble. Do not contaminate watercourse. Dispose of solid residues in chemical waste disposal area in accordance with relevant State and Federal requirements.

### SECTION 7. HANDLING AND STORAGE

- Safe Handling:** Observe recommendations made under SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION. Use in a well ventilated area. Avoid breathing vapour.
- Storage:** Store indoors in a cool, dry and well ventilated area. Keep containers sealed when not in use. Store in original containers away from heat, sparks and open flames. Store at or below 38°C.

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**National exposure standards:**

Chemical name	Synonym	CAS No.	TWA (ppm)	TWA (mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Advisory carcinogen category	Other advisory information
Acrylic acid		79-10-7	2	5.9	-	-	-	Sk
Cumene	Isopropyl benzene	98-82-8	25	125	75	375	-	Sk

**Engineering controls:** None required under normal conditions of use, but if vapour or mist is being generated, use a local mechanical exhaust

**Personal protective equipment:** Use good industrial hygiene. Avoid contact with skin and eyes. Wear overalls, neoprene or butyl rubber gloves and safety glasses with side shields. Use a well ventilated area. If inhalation risk exists, wear a respirator complying with the requirements of AS 1715 and AS 1716.

## MATERIAL SAFETY DATA SHEET

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical data:**

Appearance:	Flourescent purple liquid
Specific gravity:	1.1
Solubility:	Slightly soluble in water
Flash point (PMCC):	> 90°C
VOC content:	1.38g/l

### SECTION 10. STABILITY AND REACTIVITY

**Chemical stability:** Stable under normal conditions of temperature and pressure.

**Conditions to avoid:** Open flames, sparks, strong heat.

**Incompatible materials:** Keep away from strong oxidising agents, acids and alkalines. This product is destabilised by strong reducing agents.

**Hazardous decomposition products:** In a fire, it can release carbon monoxide, oxides of sulphur and noxious fumes.

**Hazardous reactions:** Hazardous polymerisation will not occur.

### SECTION 11. TOXICOLOGICAL INFORMATION

**HEALTH EFFECTS:****Acute:**

Ingestion: If swallowed, may cause gastrointestinal irritation.

Skin: Irritating to skin. May cause sensitisation by skin contact.

Eyes: Contact with the eyes can cause severe irritation.

Inhalation: Inhalation of vapours may cause respiratory irritation.

**Chronic:** Repeated or prolonged skin contact may cause chronic dermatitis.

**Toxicity information:** None available for this product.

### SECTION 12. ECOLOGICAL INFORMATION

Do not allow product to contaminate waterways or soil. This product may be harmful to aquatic organisms.

### SECTION 13. DISPOSAL CONSIDERATIONS

Disposal of this material should be undertaken by a registered chemical disposal company. Empty containers should be disposed of according to local regulations.

### SECTION 14. TRANSPORT INFORMATION

Not classified as Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code).



## MATERIAL SAFETY DATA SHEET

### SECTION 15. REGULATORY INFORMATION

SUSDP POISON SCHEDULE: None allocated

### SECTION 16. OTHER INFORMATION

**Abbreviations/acronyms:**

SUSDP - Standard for the Uniform Scheduling of Drugs and Poisons

**DISCLAIMER:**

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by R H Bare Pty Ltd.